

Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product name	:	COSA CIP 72
UFI	:	K9WT-W0J6-H90J-5D1R
Product code	:	115920E
Use of the Substance/Mixture	:	Cleaning product
Substance type:	:	Mixture
		For professional users only.
Product dilution information	:	3.0 %

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	:	Industrial automatic application Industrial manual foam additive
Recommended restrictions on use	:	Reserved for industrial and professional use.

1.3 Details of the supplier of the safety data sheet

Company	: Ecolab Deutschland GmbH Ecolab-Allee 1
	40789 Monheim am Rhein, Germany +49 (0)2173 599 0 OfficeService.DEDUS@ecolab.com

1.4 Emergency telephone number

Emergency telephone	:	+32-(0)3-575-5555 Trans-european, German speaking, 24/7
number		or +49 32 212249407 German speaking, 24/7

Poison Information Centre	:	+49 (0)551 38318854
telephone number		

Date of Compilation/Revision	:	13.03.2023
Version	:	2.4

Section: 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Product AS SOLD

Corrosive to metals, Category 1 Skin corrosion, Category 1 Serious eye damage, Category		H290 H314 H318
Product AT USE DILUTION		
Not a hazardous substance or n	nixture.	
2.2 Label elements		
Labelling (REGULATION (EC Product AS SOLD Hazard pictograms) No 1272/2008)	
Signal Word	: Danger	
Hazard Statements	: H290 H314	May be corrosive to metals. Causes severe skin burns and eye damage.
Precautionary Statements	 Prevention: P280 Response: P303 + P361 + P3 P305 + P351 + P3 	all contaminated clothing. Rinse skin with water or shower. 338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	P310	present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Hazardous components which must be listed on the label: formic acid

Product AT USE DILUTION

Not a hazardous substance or mixture.

Additional Labelling:

Product AS SOLD Special labelling of certain : Not applicable. mixtures

Product AT USE DILUTION

Special labelling of certain : Safety data sheet available on request. mixtures

2.3 Other hazards

Product AS SOLD

Do not mix with bleach or other chlorinated products - will cause chlorine gas.

Product AT USE DILUTION

Do not mix with bleach or other chlorinated products - will cause chlorine gas.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Product AS SOLD Hazardous components

Chemical Name	CAS-No.	Classification	Concentration
	EC-No.	REGULATION (EC) No 1272/2008	: [%]
	REACH No.		
citric acid, monohydrate	5949-29-1	Eye irritation Category 2; H319	>= 30 - < 50
	201-069-1		
	01-2119457026-42		
formic acid	64-18-6	Nota B Skin corrosion Category 1A; H314	>= 5 - < 10
	200-579-1		
	01-2119491174-37	Skin corrosion Category 1A	
		H314 >= 90 %	
		Skin corrosion Category 1B	
		H314 10 - < 90 %	
		Skin irritation Category 2	
		H315 2 - < 10 %	
		Eve irritation Category 2	
		H319 2 - < 10 %	
		113132 - < 10 /0	

Product AT USE DILUTION Hazardous components

Chemical Name	CAS-No. EC-No.	Classification	Concentration
	REACH No.	REGULATION (EC) No 1272/2008	: [%]
citric acid, monohydrate	5949-29-1	Eye irritation Category 2; H319	>= 1 - < 2.5
	201-069-1		
	01-2119457026-42		
Substances with a workp	lace exposure limit :		
formic acid	64-18-6	Skin corrosion Category 1A; H314	>= 0.25 - <
	200-579-1		0.5
	01-2119491174-37	Skin corrosion Category 1A	
		H314 >= 90 %	
		Skin corrosion Category 1B	
		H314 10 - < 90 %	
		Skin irritation Category 2	
		H315 2 - < 10 %	
		Eye irritation Category 2	
		, , , , , , , , , , , , , , , , , , , ,	
		H319 2 - < 10 %	
For the full text of the H-Statements mentioned in this Section, see Section 16.			

Section: 4. FIRST AID MEASURES

4.1 Description of first aid measures

Product AS SOLD In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
In case of skin contact	: Wash off immediately with plenty of water for at least 15 minutes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
If swallowed	: Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical

attention immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Ge if symptoms occur.
--

Product AT USE DILUTION In case of eye contact	I : Rinse with plenty of water.
In case of skin contact	: Rinse with plenty of water.
If swallowed	: Rinse mouth. Get medical attention if symptoms occur.
If inhaled	: Get medical attention if symptoms occur.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Indication of immediate medical attention and special treatment needed

: Treat symptomatically.

Section: 5. FIREFIGHTING MEASURES

Product AS SOLD

5.1 Extinguishing media

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	:	None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting	:	Not flammable or combustible.
Hazardous combustion products	:	Depending on combustion properties, decomposition products may include following materials: Carbon oxides
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	Use personal protective equipment.
Further information	:	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Product AS SOLD

Advice for non-emergency : Ensure adequate ventilation. Keep people away from and upwind

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

COSA CIP 72		
personnel	of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.	
Advice for emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.	
Product AT USE DILUTION Advice for non-emergency personnel Advice for emergency responders	 Refer to protective measures listed in sections 7 and 8. If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. 	
6.2 Environmental precautions		
Product AS SOLD Environmental precautions	: Do not allow contact with soil, surface or ground water.	
Product AT USE DILUTION Environmental precautions	: No special environmental precautions required.	
6.3 Methods and materials for containment and cleaning up		
Product AS SOLD Methods for cleaning up	: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.	
Product AT USE DILUTION Methods for cleaning up	: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.	
6.4 Reference to other sections		

See Section 1 for emergency contact information. For personal protection see section 8. See Section 13 for additional waste treatment information.

Section: 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Product AS SOLD

Advice on safe handling

: Do not ingest. Do not get in eyes, on skin, or on clothing. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not breathe spray, vapour. Do not mix with bleach or other

COSA CIP 72	
	chlorinated products – will cause chlorine gas. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.
Product AT USE DILUTION	
Advice on safe handling	: Do not mix with bleach or other chlorinated products – will cause chlorine gas.
Hygiene measures	: Wash hands before breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

	Product AS SOLD Requirements for storage areas and containers	:	Keep away from strong bases. Absorb spillage to prevent material damage. Keep out of reach of children. Keep container tightly closed. Keep only in original packaging. Store in suitable labeled containers.
	Storage temperature	:	0 °C to 40 °C
	Packaging material	:	Suitable material: Plastic material
			Unsuitable material: Mild steel, Aluminium
	Product AT USE DILUTION Requirements for storage areas and containers	:	Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
7.3	Specific end uses		
	Product AS SOLD Specific use(s)	:	Industrial automatic application

Industrial manual foam additive

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Product AS SOLD

Occupational Exposure Limits

Components	CAS-N	0.	Value type (Form of exposure)	Control parameters	Basis
citric acid, monohydrate	5949-2	9-1	AGW (Inhalable fraction)	2 mg/m3	TRGS 900
Further information	Y		there is compliance w isk of harming the unb	ith the OEL and biological tolera orn child	nce values, there
formic acid	64-18-6	6	AGW	5 ppm 9.5 mg/m3	TRGS 900
Further information	Y		there is compliance w isk of harming the unb	ith the OEL and biological tolera	nce values, there
			TWA	5 ppm 9 mg/m3	2006/15/EC

COSA CIP 72	
Further information	Indicative
.2 Exposure controls	
Product AS SOLD Appropriate engineering co	ntrols
Engineering measures	: Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.
Individual protection measu	res
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.
Eye/face protection (EN 166)	: Safety goggles Face-shield
Hand protection (EN 374)	 Recommended preventive skin protection Gloves Nitrile rubber butyl-rubber Breakthrough time: 1 – 4 hours Minimum thickness for butyl-rubber 0.7 mm for nitrile rubber 0.4 mm or equivalent (please refer to the gloves manufacturer/distributor for advise). Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin and body protection (EN 14605)	: Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing including appropriate safety shoes
Respiratory protection (EN 143, 14387)	: None required if airborne concentrations are maintained below th exposure limit listed in Exposure Limit Information. Use certified respiratory protection equipment meeting EU requirements(89/656/EEC, (EU) 2016/425), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.
Product AT USE DILUTION Appropriate engineering con	ntrols
Engineering measures	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Individual protection measu	res
Hygiene measures	: Wash hands before breaks and immediately after handling the product.
Eye/face protection (EN 166)	: No special protective equipment required.
Hand protection (EN 374)	: No special protective equipment required.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

COSA CIP 72	
Skin and body protection (EN 14605)	: No special protective equipment required.
Respiratory protection (EN 143, 14387)	: None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified respiratory protection equipment meeting EU requirements(89/656/EEC, (EU) 2016/425), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.

Environmental exposure controls

General advice

: Consider the provision of containment around storage vessels.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

		Product AS SOLD	Product AT USE DILUTION
Physical state	:	liquid	liquid
Colour	:	colourless	colourless
Odour	:	slight	slight
рН	:	0.8 - 1.2, 100 %	2.2
Particle characteristics			
Assessment	:	not applicable	not applicable
Particle size	:	not applicable	not applicable
Particle Size Distribution	:	not applicable	not applicable
Dustiness	:	not applicable	not applicable
Specific surface area	:	not applicable	not applicable
Surface charge/Zeta potential	:	not applicable	not applicable
Shape	:	not applicable	not applicable
Crystallinity	:	not applicable	not applicable
Surface treatment /Coatings	:	not applicable	not applicable
Flash point	:	Not applicable.	
Odour Threshold	:	Not applicable and/or not determi	ined for the mixture
Melting point/freezing point	:	Not applicable and/or not determi	ined for the mixture
Boiling point, initial boiling point and boiling range	:	100 °C	
Evaporation rate	:	Not applicable and/or not determine	ined for the mixture
Flammability	:	Not applicable and/or not determined for the mixture	
Upper explosion limit	:	Not applicable and/or not determined for the mixture	
Lower explosion limit	:	Not applicable and/or not determined for the mixture	
Vapour pressure	:	Not applicable and/or not determined for the mixture	
Relative vapour density	:	Not applicable and/or not determine	ined for the mixture

Density and / or relative density	: 1.19 - 1.23
Water solubility	: soluble
Solubility in other solvents	: Not applicable and/or not determined for the mixture
Partition coefficient: n- octanol/water (log value)	: Not applicable and/or not determined for the mixture
Auto-ignition temperature	: Not applicable and/or not determined for the mixture
Thermal decomposition	: Not applicable and/or not determined for the mixture
Viscosity, kinematic	: 4.140 mm2/s (40 °C)
Explosive properties	: Not applicable and/or not determined for the mixture
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

9.2 Other information

Not applicable and/or not determined for the mixture

Section: 10. STABILITY AND REACTIVITY

Product AS SOLD 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Do not mix with bleach or other chlorinated products - will cause chlorine gas.

10.4 Conditions to avoid

None known.

10.5 Incompatible materials

Bases

Mild steel Aluminium

10.6 Hazardous decomposition products

Depending on combustion properties, decomposition products may include following materials: Carbon oxides

Section: 11. TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product AS SOLD

Information on likely routes of : Inhalation, Eye contact, Skin contact exposure

Product

Acute oral toxicity	: There is no data available for this product.
Acute inhalation toxicity	: There is no data available for this product.
Acute dermal toxicity	: There is no data available for this product.
Skin corrosion/irritation	: There is no data available for this product.
Serious eye damage/eye irritation	: There is no data available for this product.
Respiratory or skin sensitization	: There is no data available for this product.
Carcinogenicity	: There is no data available for this product.
Reproductive effects	: There is no data available for this product.
Germ cell mutagenicity	: There is no data available for this product.
Teratogenicity	: There is no data available for this product.
STOT - single exposure	: There is no data available for this product.
STOT - repeated exposure	: There is no data available for this product.
Aspiration toxicity	: There is no data available for this product.
Components	
Acute oral toxicity	: citric acid, monohydrate LD50 rat: 11,700 mg/kg
Components	
Acute dermal toxicity	: citric acid, monohydrate LD50 rat: > 2,000 mg/kg
Potential Health Effects	
Product AS SOLD Eyes	: Causes serious eye damage.
Skin	: Causes severe skin burns.
Ingestion	: Causes digestive tract burns.
Inhalation	: May cause nose, throat, and lung irritation.
Chronic Exposure	: Health injuries are not known or expected under normal use.
Product AT USE DILUTION Eyes	: Health injuries are not known or expected under normal use.
Skin	: Health injuries are not known or expected under normal use.

OSA CIP 72	
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Health injuries are not known or expected under normal use.
Chronic Exposure	: Health injuries are not known or expected under normal use.
Experience with human expo	osure
Product AS SOLD Eye contact	: Redness, Pain, Corrosion
Skin contact	: Redness, Pain, Corrosion
Ingestion	: Corrosion, Abdominal pain
Inhalation	: Respiratory irritation, Cough
Product AT USE DILUTION Eye contact	: No symptoms known or expected.
Skin contact	: No symptoms known or expected.
Ingestion	: No symptoms known or expected.
Inhalation	: No symptoms known or expected.
.2 Information on other hazard	ls
Further information	: no data available
ection: 12. ECOLOGICAL INFO	RMATION
.1 Toxicity	
Product AS SOLD Environmental Effects	: This product has no known ecotoxicological effects.
Product AT USE DILUTION Environmental Effects	: This product has no known ecotoxicological effects.
Product AS SOLD Product	
Toxicity to fish	: no data available
Toxicity to daphnia and other aquatic invertebrates	: no data available

aquatio involtobratoo		
Toxicity to algae	no data ava	ailable
Components		
Toxicity to fish		monohydrate Fish: > 100 mg/l
	formic acid 96 h LC50:	> 100 mg/l

12.2 Persistence and degradability

Product

no data available

Components

Biodegradability

: citric acid, monohydrate Result: Readily biodegradable.

formic acid Result: Readily biodegradable.

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

Product

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

12.7 Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with the European Directives on waste and hazardous waste.Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

13.1 Waste treatment methods

Product AS SOLD Product	: Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of contents/container in accordance with local regulations Dispose of wastes in an approved waste disposal facility.
Contaminated packaging	: Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.
Guidance for Waste Code selection	: Organic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It

	is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local regulations.
Product AT USE DILUTION Product	Diluted product can be flushed to sanitary sewer if regulations
	permit.
Contaminated packaging :	Dispose of in accordance with local, state, and federal regulations.

Section: 14. TRANSPORT INFORMATION

Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADR/ADN/RID)

Land transport (ADR/ADN/RID)		
14.1 UN number or ID	:	3265
number		
14.2 UN proper shipping	:	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
name	•	
hamo		(Citric acid, Formic acid)
14.3 Transport hazard	:	8
class(es)		
14.4 Packing group	:	III
14.5 Environmental hazards	:	No
14.6 Special precautions for		None
	•	NONE
user		
Air transport (IATA)		
14.1 UN number or ID	:	3265
number		
14.2 UN proper shipping	:	Corrosive liquid, acidic, organic, n.o.s.
name		
		(Citric acid, Formic acid)
14.3 Transport hazard	:	8
class(es)	•	•
14.4 Packing group		III
14.5 Environmental hazards		No
14.6 Special precautions for	:	None
user		
Sea transport (IMDG/IMO)		
14.1 UN number or ID	:	3265
number		
14.2 UN proper shipping		CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
name	•	
name		(Citric acid, Formic acid)
14.0 Transport borord		· · · · · · · · · · · · · · · · · · ·
14.3 Transport hazard	•	8
class(es)		
14.4 Packing group		
14.5 Environmental hazards	:	No
14.6 Special precautions for	:	None
user		

14.7 Maritime transport in : Not applicable. bulk according to IMO instruments

Section: 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso III: Directive : Not applicable. 2012/18/EU of the European Parliament and of the Council on the control of majoraccident hazards involving dangerous substances.

Candidate List of Substances : Not applicable. of Very High Concern for Authorisation

National Regulations

Take note of Dir 94/33/EC on the protection of young people at work.

Hazard class for water	: WGK 1 Classification according to AwSV, A	nnex 1

German storage class : 8B

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out on the product. Section: 16. OTHER INFORMATION

Procedure used to derive the classification according to REGULATION (EC) No 1272/2008

Classification	Justification
Corrosive to metals 1, H290	Based on product data or assessment
Skin corrosion 1, H314	Based on product data or assessment
Serious eye damage 1, H318	Based on product data or assessment

Full text of H-Statements

H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -

International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

Prepared by

: Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Annex: Exposure Scenarios

Exposure Scenario: Industrial automatic application

Life Cycle Stage	:	Use at industrial sites			
Sector of use	:	SU9	Manufacture of fine chemicals		
Contributing scenario controlling environmental exposure for:					
Environmental release category	:	ERC4	Industrial use of processing aids in processes and products, not becoming part of articles		
Daily amount per site	:	50 kg			
Type of Sewage Treatment Plant	:	Municipal s	ewage treatment plant		

Contributing scenario controlling worker exposure for:

Process category	:	PROC8a	Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at non- dedicated facilities				
Exposure duration	:	60 min					
Operational conditions and risk management measures	:	Indoor					
		Local Exhau	ust Ventilation is not required				
General ventilation		Ventilation r	rate per hour 1				
Skin Protection	:	see section	8				
Respiratory Protection	:	see section	8				
Contributing scenario contro	ollir	ng worker ex	xposure for:				
Process category	:	PROC3	Use in closed batch process (synthesis or formulation)				
Exposure duration	:	480 min					
Operational conditions and risk management measures	:	Indoor					
		Local Exhau	Local Exhaust Ventilation is not required				
General ventilation		Ventilation rate per hour 1					
Skin Protection	:	see section	8				
Respiratory Protection	:	see section 8					
Exposure Scenario: Industrial manual foam additive							
Life Cycle Stage	:	Use at indu	strial sites				
Sector of use	:	SU9	Manufacture of fine chemicals				
Contributing scenario contro	Contributing scenario controlling environmental exposure for:						
Environmental release category	:	ERC4	Industrial use of processing aids in processes and products, not becoming part of articles				
Daily amount per site	:	50 kg					
Type of Sewage Treatment Plant	:	Municipal sewage treatment plant					
Contributing scenario controlling worker exposure for:							
Process category	:	PROC8a	Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at non- dedicated facilities				
Exposure duration	:	60 min					

Operational conditions and risk management measures	:	Indoor		
		Local Exhaust Ventilation is not required		
General ventilation		Ventilation rate per hour	1	
Skin Protection	:	see section 8		
Respiratory Protection	:	see section 8		
Contributing scenario contro	ollir	ng worker exposure for:		
Process category	:	PROC7 Industrial spraying		
Exposure duration	:	480 min		
Operational conditions and risk management measures	:	Indoor		
		Local Exhaust Ventilation is not required		
General ventilation		Ventilation rate per hour	1	
Respiratory Protection	:	see section 8		
Skin Protection	:	see section 8		
Contributing scenario controlling worker exposure for:				

Process category	:	PROC19	Hand-mixing with intimate contact and only PP available	Е
Exposure duration	:	480 min		
Operational conditions and risk management measures	:	Indoor		
		Local Exha	ust Ventilation is not required	
General ventilation		Ventilation rate per hour 1		
Skin Protection	:	see section 8		
Respiratory Protection	:	see section	8	